


PCC Fire Protection Technology Program Outcomes Assessment Reports

Enrollment and Success Rate by Total



Total of Selected SAC(s)

| | 2018-19 | | 2019-20 | | 2020-21 | | 2021-22 | | 2022-23 | |
|--------------------|----------|---------|----------|---------|----------|---------|----------|---------|----------|---------|
| | Enrolled | Success | Enrolled | Success | Enrolled | Success | Enrolled | Success | Enrolled | Success |
| Total | 602 | 84.9% | 417 | 83.2% | 498 | 79.5% | 470 | 87.2% | 464 | 89.7% |
| Grand Total | 602 | 84.9% | 417 | 83.2% | 498 | 79.5% | 470 | 87.2% | 464 | 89.7% |

Subject

| | | 2018-19 | | 2019-20 | | 2020-21 | | 2021-22 | | 2022-23 | |
|-----------------|-------|----------|---------|----------|---------|----------|---------|----------|---------|----------|---------|
| | | Enrolled | Success | Enrolled | Success | Enrolled | Success | Enrolled | Success | Enrolled | Success |
| Fire Protection | Total | 602 | 84.9% | 417 | 83.2% | 498 | 79.5% | 470 | 87.2% | 464 | 89.7% |
| | Total | 602 | 84.9% | 417 | 83.2% | 498 | 79.5% | 470 | 87.2% | 464 | 89.7% |

Course

| | | 2018-19 | | 2019-20 | | 2020-21 | | 2021-22 | | 2022-23 | |
|---------|-------|----------|---------|----------|---------|----------|---------|----------|---------|----------|---------|
| | | Enrolled | Success | Enrolled | Success | Enrolled | Success | Enrolled | Success | Enrolled | Success |
| FP-101 | Total | 70 | 71.4% | 54 | 75.9% | 73 | 68.5% | 77 | 74.0% | 78 | 85.9% |
| | Total | 70 | 71.4% | 54 | 75.9% | 73 | 68.5% | 77 | 74.0% | 78 | 85.9% |
| FP-111 | Total | 46 | 100.0% | 30 | 90.0% | 26 | 100.0% | 66 | 97.0% | 64 | 92.2% |
| | Total | 46 | 100.0% | 30 | 90.0% | 26 | 100.0% | 66 | 97.0% | 64 | 92.2% |
| FP-112 | Total | 45 | 93.3% | 28 | 89.3% | 26 | 88.5% | 66 | 97.0% | 64 | 92.2% |
| | Total | 45 | 93.3% | 28 | 89.3% | 26 | 88.5% | 66 | 97.0% | 64 | 92.2% |
| FP-121 | Total | 22 | 77.3% | 21 | 81.0% | 23 | 91.3% | 22 | 77.3% | 18 | 77.8% |
| | Total | 22 | 77.3% | 21 | 81.0% | 23 | 91.3% | 22 | 77.3% | 18 | 77.8% |
| FP-122 | Total | 19 | 84.2% | 22 | 95.5% | 20 | 90.0% | 24 | 83.3% | 18 | 83.3% |
| | Total | 19 | 84.2% | 22 | 95.5% | 20 | 90.0% | 24 | 83.3% | 18 | 83.3% |
| FP-123 | Total | 79 | 78.5% | 55 | 80.0% | 21 | 90.5% | 81 | 90.1% | 83 | 89.2% |
| | Total | 79 | 78.5% | 55 | 80.0% | 21 | 90.5% | 81 | 90.1% | 83 | 89.2% |
| FP-130 | Total | 9 | 88.9% | 19 | 78.9% | 19 | 84.2% | | | 14 | 100.0% |
| | Total | 9 | 88.9% | 19 | 78.9% | 19 | 84.2% | | | 14 | 100.0% |
| FP-133 | Total | 43 | 97.7% | 35 | 88.6% | 48 | 75.0% | 11 | 90.9% | | |
| | Total | 43 | 97.7% | 35 | 88.6% | 48 | 75.0% | 11 | 90.9% | | |
| FP-137 | Total | 28 | 78.6% | 20 | 80.0% | 20 | 85.0% | 20 | 90.0% | 22 | 90.9% |
| | Total | 28 | 78.6% | 20 | 80.0% | 20 | 85.0% | 20 | 90.0% | 22 | 90.9% |
| FP-166 | Total | 15 | 60.0% | 18 | 77.8% | 23 | 82.6% | 12 | 83.3% | 10 | 90.0% |
| | Total | 15 | 60.0% | 18 | 77.8% | 23 | 82.6% | 12 | 83.3% | 10 | 90.0% |
| FP-170 | Total | 19 | 68.4% | 9 | 77.8% | 25 | 88.0% | | | | |
| | Total | 19 | 68.4% | 9 | 77.8% | 25 | 88.0% | | | | |
| FP-205 | Total | | | | | | | 8 | 100.0% | 11 | 90.9% |
| | Total | | | | | | | 8 | 100.0% | 11 | 90.9% |
| FP-207 | Total | 22 | 95.5% | 8 | 87.5% | 16 | 68.8% | | | | |
| | Total | 22 | 95.5% | 8 | 87.5% | 16 | 68.8% | | | | |
| FP-210 | Total | 11 | 81.8% | 19 | 89.5% | 24 | 83.3% | | | | |
| | Total | 11 | 81.8% | 19 | 89.5% | 24 | 83.3% | | | | |
| FP-212 | Total | 4 | | 13 | 84.6% | 18 | 83.3% | 11 | 90.9% | 11 | 90.9% |
| | Total | 4 | | 13 | 84.6% | 18 | 83.3% | 11 | 90.9% | 11 | 90.9% |
| FP-214 | Total | 26 | 88.5% | 12 | 91.7% | 20 | 80.0% | 19 | 73.7% | 11 | 81.8% |
| | Total | 26 | 88.5% | 12 | 91.7% | 20 | 80.0% | 19 | 73.7% | 11 | 81.8% |
| FP-240 | Total | 14 | 100.0% | 9 | 55.6% | 22 | 45.5% | 15 | 80.0% | 13 | 92.3% |
| | Total | 14 | 100.0% | 9 | 55.6% | 22 | 45.5% | 15 | 80.0% | 13 | 92.3% |
| FP-246 | Total | | | | | | | 10 | 100.0% | 11 | 81.8% |
| | Total | | | | | | | 10 | 100.0% | 11 | 81.8% |
| FP-273 | Total | 14 | 85.7% | 11 | 72.7% | 12 | 75.0% | | | | |
| | Total | 14 | 85.7% | 11 | 72.7% | 12 | 75.0% | | | | |
| FP-274 | Total | 17 | 82.4% | 12 | 91.7% | | | 8 | 75.0% | 10 | 100.0% |
| | Total | 17 | 82.4% | 12 | 91.7% | | | 8 | 75.0% | 10 | 100.0% |
| FP-275 | Total | 10 | 90.0% | 6 | 66.7% | 16 | 68.8% | 12 | 75.0% | 11 | 100.0% |
| | Total | 10 | 90.0% | 6 | 66.7% | 16 | 68.8% | 12 | 75.0% | 11 | 100.0% |
| FP-280A | Total | 31 | 90.3% | 16 | 93.8% | 2 | | 8 | 100.0% | 4 | |
| | Total | 31 | 90.3% | 16 | 93.8% | 2 | | 8 | 100.0% | 4 | |
| FP-289 | Total | 12 | 75.0% | | | 16 | 68.8% | | | | |
| | Total | 12 | 75.0% | | | 16 | 68.8% | | | | |
| FP-291 | Total | 25 | 96.0% | | | 13 | 100.0% | | | 11 | 90.9% |
| | Total | 25 | 96.0% | | | 13 | 100.0% | | | 11 | 90.9% |
| FP-295 | Total | 21 | 85.7% | | | 15 | 73.3% | | | | |
| | Total | 21 | 85.7% | | | 15 | 73.3% | | | | |

SAC
Fire Protection



Awards by Major and Graduation Year

| Degree | Major | Grad Year | | | | |
|-------------------------------------|----------------------------|-----------|---------|---------|---------|---------|
| | | 2018-19 | 2019-20 | 2020-21 | 2021-22 | 2022-23 |
| AAS - Associate of Applied Science | Fire Protection Technology | 11 | 9 | 7 | 2 | 3 |
| | Total | 11 | 9 | 7 | 2 | 3 |
| ACERTP - Career Pathway Certificate | Fire Protection Technology | 1 | 2 | | 2 | 7 |
| | Total | 1 | 2 | | 2 | 7 |
| Grand Total | | 12 | 11 | 7 | 4 | 10 |

Below shows whether the entry for a degree or certification is open or closed at this moment in time. When, or if, an entry option changed is not available.

| Degree | Major | Entry Type |
|------------------------------|----------------------------|------------|
| Associate of Applied Science | Fire Protection Technology | Open |
| Career Pathway Certificate | Fire Protection Technology | Open |

All Enrollment-Success Data

| Acyr | Acyr Desc | Sacc Name | Subj Name | Course | Campus | Total | |
|--------|-----------|-----------------|-----------------|---------|-----------|----------|---------|
| | | | | | | Enrolled | Success |
| 2019 | 2018-19 | Fire Protection | Fire Protection | FP-101 | 2-Cascade | 70.00 | 50 |
| | | | | FP-111 | 2-Cascade | 46.00 | 46 |
| | | | | FP-112 | 2-Cascade | 45.00 | 42 |
| | | | | FP-121 | 2-Cascade | 22.00 | 17 |
| | | | | FP-122 | 2-Cascade | 19.00 | 16 |
| | | | | FP-123 | 2-Cascade | 79.00 | 62 |
| | | | | FP-130 | 2-Cascade | 9.00 | 8 |
| | | | | FP-133 | 2-Cascade | 43.00 | 42 |
| | | | | FP-137 | 2-Cascade | 28.00 | 22 |
| | | | | FP-166 | 2-Cascade | 15.00 | 9 |
| | | | | FP-170 | 2-Cascade | 19.00 | 13 |
| | | | | FP-207 | 2-Cascade | 22.00 | 21 |
| | | | | FP-210 | 2-Cascade | 11.00 | 9 |
| | | | | FP-212 | 2-Cascade | 4.00 | 3 |
| | | | | FP-214 | 2-Cascade | 26.00 | 23 |
| | | | | FP-240 | 2-Cascade | 14.00 | 14 |
| | | | | FP-273 | 2-Cascade | 14.00 | 12 |
| | | | | FP-274 | 2-Cascade | 17.00 | 14 |
| | | | | FP-275 | 2-Cascade | 10.00 | 9 |
| | | | | FP-280A | 2-Cascade | 31.00 | 28 |
| FP-289 | 2-Cascade | 12.00 | 9 | | | | |
| FP-291 | 2-Cascade | 25.00 | 24 | | | | |
| FP-295 | 2-Cascade | 21.00 | 18 | | | | |
| 2020 | 2019-20 | Fire Protection | Fire Protection | FP-101 | 2-Cascade | 54.00 | 41 |
| | | | | FP-111 | 2-Cascade | 30.00 | 27 |
| | | | | FP-112 | 2-Cascade | 28.00 | 25 |
| | | | | FP-121 | 2-Cascade | 21.00 | 17 |
| | | | | FP-122 | 2-Cascade | 22.00 | 21 |
| | | | | FP-123 | 2-Cascade | 55.00 | 44 |
| | | | | FP-130 | 2-Cascade | 19.00 | 15 |
| | | | | FP-133 | 2-Cascade | 35.00 | 31 |
| | | | | FP-137 | 2-Cascade | 20.00 | 16 |
| | | | | FP-166 | 2-Cascade | 18.00 | 14 |
| | | | | FP-170 | 2-Cascade | 9.00 | 7 |
| | | | | FP-207 | 2-Cascade | 8.00 | 7 |
| | | | | FP-210 | 2-Cascade | 19.00 | 17 |
| | | | | FP-212 | 2-Cascade | 13.00 | 11 |
| | | | | FP-214 | 2-Cascade | 12.00 | 11 |
| | | | | FP-240 | 2-Cascade | 9.00 | 5 |
| | | | | FP-273 | 2-Cascade | 11.00 | 8 |
| | | | | FP-274 | 2-Cascade | 12.00 | 11 |
| | | | | FP-275 | 2-Cascade | 6.00 | 4 |
| | | | | FP-280A | 2-Cascade | 16.00 | 15 |
| 2021 | 2020-21 | Fire Protection | Fire Protection | FP-101 | 2-Cascade | 73.00 | 50 |
| | | | | FP-111 | 2-Cascade | 26.00 | 26 |
| | | | | FP-112 | 2-Cascade | 26.00 | 23 |
| | | | | FP-121 | 2-Cascade | 23.00 | 21 |
| | | | | FP-122 | 2-Cascade | 20.00 | 18 |
| | | | | FP-123 | 2-Cascade | 21.00 | 19 |
| | | | | FP-130 | 2-Cascade | 19.00 | 16 |
| | | | | FP-133 | 2-Cascade | 48.00 | 36 |
| | | | | FP-137 | 2-Cascade | 20.00 | 17 |
| | | | | FP-166 | 2-Cascade | 23.00 | 19 |
| | | | | FP-170 | 2-Cascade | 25.00 | 22 |

All Enrollment-Success Data

| Acyr | Acyr Desc | Sacc Name | Subj Name | Course | Campus | Total | | | | | |
|---------|-----------|-----------------|-----------------|---------|-----------|-----------------|-----------------|--------|-----------|-------|----|
| | | | | | | Enrolled | Success | | | | |
| 2021 | 2020-21 | Fire Protection | Fire Protection | FP-207 | 2-Cascade | 16.00 | 11 | | | | |
| | | | | FP-210 | 2-Cascade | 24.00 | 20 | | | | |
| | | | | FP-212 | 2-Cascade | 18.00 | 15 | | | | |
| | | | | FP-214 | 2-Cascade | 20.00 | 16 | | | | |
| | | | | FP-240 | 2-Cascade | 22.00 | 10 | | | | |
| | | | | FP-273 | 2-Cascade | 12.00 | 9 | | | | |
| | | | | FP-275 | 2-Cascade | 16.00 | 11 | | | | |
| | | | | FP-280A | 2-Cascade | 2.00 | 2 | | | | |
| | | | | FP-289 | 2-Cascade | 16.00 | 11 | | | | |
| | | | | FP-291 | 2-Cascade | 13.00 | 13 | | | | |
| | | | | FP-295 | 2-Cascade | 15.00 | 11 | | | | |
| | | | | 2022 | 2021-22 | Fire Protection | Fire Protection | FP-101 | 2-Cascade | 77.00 | 57 |
| | | | | | | | | FP-111 | 2-Cascade | 66.00 | 64 |
| FP-112 | 2-Cascade | 66.00 | 64 | | | | | | | | |
| FP-121 | 2-Cascade | 22.00 | 17 | | | | | | | | |
| FP-122 | 2-Cascade | 24.00 | 20 | | | | | | | | |
| FP-123 | 2-Cascade | 81.00 | 73 | | | | | | | | |
| FP-133 | 2-Cascade | 11.00 | 10 | | | | | | | | |
| FP-137 | 2-Cascade | 20.00 | 18 | | | | | | | | |
| FP-166 | 2-Cascade | 12.00 | 10 | | | | | | | | |
| FP-205 | 2-Cascade | 8.00 | 8 | | | | | | | | |
| FP-212 | 2-Cascade | 11.00 | 10 | | | | | | | | |
| FP-214 | 2-Cascade | 19.00 | 14 | | | | | | | | |
| FP-240 | 2-Cascade | 15.00 | 12 | | | | | | | | |
| FP-246 | 2-Cascade | 10.00 | 10 | | | | | | | | |
| FP-274 | 2-Cascade | 8.00 | 6 | | | | | | | | |
| FP-275 | 2-Cascade | 12.00 | 9 | | | | | | | | |
| FP-280A | 2-Cascade | 8.00 | 8 | | | | | | | | |
| 2023 | 2022-23 | Fire Protection | Fire Protection | | | | | FP-101 | 2-Cascade | 78.00 | 67 |
| | | | | FP-111 | 2-Cascade | 64.00 | 59 | | | | |
| | | | | FP-112 | 2-Cascade | 64.00 | 59 | | | | |
| | | | | FP-121 | 2-Cascade | 18.00 | 14 | | | | |
| | | | | FP-122 | 2-Cascade | 18.00 | 15 | | | | |
| | | | | FP-123 | 2-Cascade | 83.00 | 74 | | | | |
| | | | | FP-130 | 2-Cascade | 14.00 | 14 | | | | |
| | | | | FP-137 | 2-Cascade | 22.00 | 20 | | | | |
| | | | | FP-166 | 2-Cascade | 10.00 | 9 | | | | |
| | | | | FP-205 | 2-Cascade | 11.00 | 10 | | | | |
| | | | | FP-212 | 2-Cascade | 11.00 | 10 | | | | |
| | | | | FP-214 | 2-Cascade | 11.00 | 9 | | | | |
| | | | | FP-240 | 2-Cascade | 13.00 | 12 | | | | |
| | | | | FP-246 | 2-Cascade | 11.00 | 9 | | | | |
| | | | | FP-274 | 2-Cascade | 10.00 | 10 | | | | |
| | | | | FP-275 | 2-Cascade | 11.00 | 11 | | | | |
| | | | | FP-280A | 2-Cascade | 4.00 | 4 | | | | |
| | | | | FP-291 | 2-Cascade | 11.00 | 10 | | | | |